

INSIDE DIAMETER IN INCHES	SPECIFIED THICKNESS IN INCHES	APPROXIMATE POUNDS PER LINEAR FOOT		
		METALLIC COATED	FULL BITUMINOUS COATED	FULL BITUMINOUS COATED AND FULL PAVED
12	0.064	10	12	15
	0.079	12	14	17
15	0.064	12	15	18
	0.079	15	18	21
18	0.052	12	14	17
	0.064	15	19	22
	0.079	18	22	25
21	0.064	17	21	26
	0.079	21	25	30
24	0.064	19	24	30
	0.079	24	29	35
30	0.064	24	30	36
	0.079	30	36	42
36	0.064	29	36	44
	0.079	36	43	51
	0.109	49	56	64
	0.138	62	69	77
42	0.064	34	42	51
	0.079	42	50	59
	0.109	57	65	74
	0.138	72	80	89
48	0.064	38	48	57
	0.079	48	58	67
	0.109	65	75	84
	0.138	82	92	101
	0.168	100	110	119
54	0.064	44	55	66
	0.079	54	65	76
	0.109	73	84	95
	0.138	92	103	144
	0.168	112	123	134
60	0.079	60	71	85
	0.109	81	92	106
	0.138	103	114	128
	0.168	124	135	149
66	0.079	65	77	93
	0.109	89	101	117
	0.138	113	125	141
	0.168	137	149	165
72	0.109	98	112	129
	0.138	123	137	154
	0.168	149	163	180

Note: Pipe arch weights will be the same as the equivalent round pipe.
For example, for 42 x 29, 2 2/3 x 1/2 in. diameter pipe weight.